

FIGURE 1

WO 2005/061702 PCT/EP2004/053683

2/5




FIGURE 2

3/5

Gene	Plant	Motif 1	Motif 2
name	accession		
Cyclin A2;1	Arabidopsis At5g25380	WLVEVSEEYKLVSDT	ELTLTEYTFRLFLPS
Cyclin A2;2	Arabidopsis At5g11300	WLVEVSDDYKLVPDT	ELTLVEYSFLRFLPS
Cyclin A2;3	Arabidopsis At1g15570	WLVEVSEEYTLASDT	ELTLIDYHFLKFLPS
Cyclin A2;4	Arabidopsis At5g43080	WLVEVSEEYTLVPDT	ELTLMDYPFLKFLPS
Cyclin A2type	Rice AK106653	WLVEVSEEYKLVPDT	ELTLIDYSFLKFLPS
Cyclin A2type	Medicago AAK81695	WLVEVSEGYKLQANT	ELTLMNYGFLNFLPS
Cyclin A2 type	Nicotiana BAA09367	WLVEVSEEYRLVPDT	ELTLVDYGFLKFLPS
Cyclin A1;1	Arabidopsis At1g44110	WLIEVSEEYRLVPET	ELSLLEYTMLSHSPS
Cyclin A1;2	Arabidopsis At1g77390	WLVEVAEEYRLSPET	ELSLLDYAMLRYAPS
Cyclin A3;1	Arabidopsis at5g43080	WLVEVAEEYKLLSDT	ELSMLDYQSVKFLPS
Cyclin A1.1 type	Rice BAA86628	WLVEVAEEYRLVPDT	ELSLLEYNLLSYPPS
Cyclin B1;1	Arabidopsis At4g37490	WLIDVHVRFELNPET	ELGVMHYDTMIMFSPS

WO 2005/061702 PCT/EP2004/053683

4/5

SEQUENCE LISTING

SEQ ID NO 01: DNA sequence of Cyclin A2;2 (A variant of the coding sequence of the sequence deposited under accession number NM_121168 contains a G instead of C on position 851 (boxed) and a T instead of C on position 1295 (boxed))

atgtattgctcttcttcgatgcatccaaatgcaaacaaaqaaaatatctctacttcagatgt acaqqaqaqttttqtacqaataacgagatcacgagctaaaaaagccatgggaagaggagtat caatacctccaacaaaccttcttttaaacagcaaaagagacgtgcagtacttaaggatgtg agtaatacctctqcagatattatttattcagaacttcgaaaqggaaggcaacatcaaggcaaa cagaaaatqtctaaaaqaqcctaaaaaaqcaqcaaaqqaaqqtqctaacagtqccatggata ttctggtagatatgcatacagaaaaatcaaaattagcagaagatttgtccaagatcaggatg qctqaaqcccaaqatgtctctctttcaaactttaaagatgaagaaattactgagcaacaaga agatggatcaggtgtcatggagttacttcaagttgtagatattgattccaacgtcgaagatc $\verb|cacagtgttgcag| cttgtatgctgctgatatatatgacaacatacatgttgcagagcttcaa| \\$ caacqacccttqqctaattatatgqaqcttqtqcaqcqaqatatcqacccaqacatqaqaaa gattctgattgactggcttgtagaagtttctgacgactacaagctggttccagatacgcttt accttacaqtqaatcttatcqaccqqtttctqtccaacagttacattgaaaggcaaagactc cageteettggtgtetettgcatgettatagettcaaaatatgaagagettteegeaccagg ggtggaggagttttgcttcattacggccaacacatacacaagadcagaagtgctgagcatgg agattcaaattctaaattttqtqcactttaqattatcggttcctaccaccaaaacatttctg aggcggttcattaaagcagctcaagcttcgtacaaggtgcctttcattgaactggagtattt ${\tt agcaaactatctcgccgaattgacactggtggaatatagtttcctaaqqttcctgccatcac}$ ${\tt taattgctgcttcagctgttttcctagcccgatggacactcgaccaaactgaccatccttgg}$ catqqaqqacttqcaqctcaacaccaqtggctgtactctcgctgccacccgtgagaaataca accaaccaaaqtttaaqaqcqtqqcaaaqctqacatctcccaaacgagtcacat|cactattc tcaagatga

SEQ ID NO 02: protein sequence of Cyclin A2;2 (A variant of the sequence deposited under accession number NP_568248 contains an arginine instead of a proline on position 284 (boxed) and a phenylalanine instead of a serine on position 432 (boxed))

MYCSSSMHPNANKENISTSDVQESFVRITRSRAKKAMGRGVSIPPTKPSFKQQKRRAVLKDV
SNTSADIIYSELRKGGNIKANRKCLKEPKKAAKEGANSAMDILVDMHTEKSKLAEDLSKIRM
AEAQDVSLSNFKDEEITEQQEDGSGVMELLQVVDIDSNVEDPQCCSLYAADIYDNIHVAELQ
QRPLANYMELVQRDIDPDMRKILIDWLVEVSDDYKLVPDTLYLTVNLIDRFLSNSYIERQRL
QLLGVSCMLIASKYEELSAPGVEEFCFITANTYTRPEVLSMEIQILNFVHFRLSVPTTKTFL
RRFIKAAQASYKVPFIELEYLANYLAELTLVEYSFLRFLPSLIAASAVFLARWTLDQTDHPW
NPTLQHYTRYEVAELKNTVLAMEDLQLNTSGCTLAATREKYNQPKFKSVAKLTSPKRVTSLF
SR

FIGURE 4

WO 2005/061702 PCT/EP2004/053683

5/5

SEQ ID NO 03: DNA sequence of the prolamin promoter

SEQ ID NO 04: primer sequence (primer PRM582)

qqqqacaaqtttqtacaaaaaqcaggcttcacaatgtattgctcttcttcgatgc

SEQ ID NO 05: primer sequence (primer PRM583)

ggggaccactttgtacaagaaagctgggtgcttggtgtcatcttgagaatag

FIGURE 4 (continued)